



Plug In Modules

CASE40-8/11

TECHNICAL FEATURES

	PLUG IN MODULE CASE WITH EITHER 8 PIN OR 11 PIN HEADERS
	FITTED WITH WIRED RED AND YELLOW LEDS
	PRE-DRILLED FOR SWITCH, POTENTIOMETERS ETC
	ACCEPTS UP TO TWO PCB'S

TECHNICAL SPECIFICATION


CASE MATERIAL	Light grey polycarbonate
HEADER MATERIAL	Black glass filled Nylon
HEADER WIRE	Approximately 4 ins colour coded PVC covered 24 AWG
OPERATING TEMPERATURE	110 °C maximum
VOLTAGE BREAKDOWN	2500V r.m.s. between pins
CURRENT RATING	5 amp maximum (mated)

OPERATIONAL FEATURES


Advantages of using the Modules include reduced assembly and production times due to the following features:

- All headers are pre-wired in 24 AWG stranded, PVC covered Wires stripped, tinned and colour coded to indicate pin connection. (Pins 1-9 as resistor colour code, and Black = 10, Pink = 11)
- Positive snap-on cover moulded to include formed holes to suit Switch and potentiometer mounting
- Two sets of board guides suitable for retaining one or two PCBs
- Will fit all known 8/ 11 pin octal / sub-magnal surface or chassis mounting bases

CASE DIMENSIONS



Dimensions in mm



ORDERING DETAILS

CASE 40-8
CASE 40-11

SEE PAGES 7-8 FOR BASES AND ACCESSORIES

INTERNAL & EXTERNAL FEATURES

